



中国国家强制性产品认证证书



证书编号: 2021322307003631

认证委托人名称: SAMSON AKTIENGESELLSCHAFT
 认证委托人地址: Weismuellerstr. 3, 60314 Frankfurt am Main, Germany
 生产者名称: SAMSON AKTIENGESELLSCHAFT
 生产者地址: Weismuellerstr. 3, 60314 Frankfurt am Main, Germany
 生产企业名称: SAMSON REGULATION S. A. S
 企业地址: 1 Rue Jean Corona, 69120 Vaulx-en-Velin, France

产品名称: 电磁阀
 系列、规格、型号: 3963-1 系列
 标 准: GB/T 3836.1-2021、GB/T 3836.4-2021

认证模式: 型式试验+初始工厂检查+获证后监督

上述产品符合 CNCA-C23-01:2019 《强制性产品认证实施规则 防爆电气》的要求, 特发此证。产品相关信息详见附件。

发证日期: 2023年04月29日

有效期至: 2026年01月07日

首次发证日期: 2021年01月08日

证书有效期内本证书的有效性依据发证机构的定期监督获得保持。

本证书的相关信息可通过国家认监委网站 www.cnca.gov.cn 查询



批 准:



上海仪器仪表自控系统检验测试所有限公司

<http://www.sitiias.com.cn>

中国·上海·漕宝路103号200233

电话: +86 21 64510844

S 0011626



CERTIFICATE FOR CHINA COMPULSORY PRODUCT CERTIFICATION



CERTIFICATE NO: 2021322307003631

APPLICANT: SAMSON AKTIENGESELLSCHAFT
ADDRESS: Weismuellerstr. 3, 60314 Frankfurt am Main, Germany
MANUFACTURER: SAMSON AKTIENGESELLSCHAFT
ADDRESS: Weismuellerstr. 3, 60314 Frankfurt am Main, Germany
FACTORY: SAMSON REGULATION S.A.S
ADDRESS: 1 Rue Jean Corona, 69120 Vaulx-en-Velin, France
PRODUCT: Solenoid Valve
SERIES,SPECIFICATION,MODEL: 3963-1 series
STANDARDS: GB/T 3836.1-2021、 GB/T 3836.4-2021

Type of Certification: Type test + Initial inspection + Surveillance inspection

This is to certify that the above mentioned product(s) complies with the requirements of implementation rules for compulsory certification (REFNO. CNCA-C23-01:2019). Refer to the attachment for detailed information.

Valid from: April 29, 2023

Valid until: January 7, 2026

Date of original certification: January 8, 2021

The validity of this certificate is subject to positive result of the periodic surveillance by issuing certification body until the expiry date.

This certificate is available through CNCA's website: www.cnca.gov.cn



APPROVAL:

Guo AiHua



Shanghai Inspection and Testing Institute of Instruments and Automation Systems Co., Ltd.



中国国家强制性产品认证证书



证书编号: 2021322307003631

附件

产品名称: 电磁阀

型号规格: 3963-1系列

Articel code

Solenoid valve Type 3963

	a	b	c	d	e	f	g	h	i	j	j
3963 -	x	x	x	x	x	x	x	x	x	x	x
	1	NEPSI/CCC		Ex ia IIC T4...T6 Gb							

Nominal Signal

a	1	6 V DC
	2	12 V DC
	3	24 V DC

Reserved for pneumatic connection and mounting (Not safety relevant)

c d e f g h i

Electrical connection

j	2	5	Device connector with LED
---	---	---	---------------------------

防爆标志: Ex ia IIC T4...T6 Gb

批准:



上海仪器仪表自控系统检验测试所有限公司



中国国家强制性产品认证证书



证书编号: 2021322307003631

附件

电气参数:

Un (DC)	6V	12V	24V
最高输入电压 Ui (V)	32	32	
最大输入电流 Ii (mA)	150	150	
最大输入功率 Pi (mW)	250	/	
最大内部电容 Ci (μF)	忽略不计		
最大内部电感 Li (mH)	忽略不计		

相关报告编号: 2020S17402-004854
2023S17402-011515

使用条件:

1. 严禁磨擦产品的塑料外壳表面, 以防静电危险。
2. 使用环境温度范围

温度组别	T6	T5	T4
不带 LED 显示插头	- 45°C ~ +60°C	- 45°C ~ +70°C	- 45°C ~ +80°C
带 LED 显示插头 (3963 - 1. 25)	- 45°C ~ +55°C	- 45°C ~ +70°C	- 45°C ~ +80°C

批 准:



上海仪器仪表自控系统检验测试所有限公司