شهــــــادة مطابقــــــة CERTIFICATE OF CONFORMITY

رقم الشهادة: 25-05-150656/E25-05-156738/NB0007

Registration Date: 22/05/2025 تاريخ التسجيل:

الحة لغاية: 21/05/2026 عالحة لغاية: 21/05/2026

SAMSON CONTROLS SOLUTIONS

Issued To:

P.O. Box 22202 ,Ali Tower, Al Danah Khalifa Bin Zayed

The First Street, Al Danah Abu Dhabi ,United Arab

Emirates

Sector: Electrical کهرباء خطاع:

Product Category: ECAS-Ex الأجهزة الكهربائية المعدة للاستخدام في الأجواء القابلة للانفجار

Product Sub-Category: ECAS-Ex الأجهزة الكهربائية المعدة للاستخدام في الأجواء القابلة للانفجار

يرجى التحقق من بيان التسجيل المرفق لجميع تفاصيل المنتجات Please check Schedule of certification for all product details



جهة معينة من قبل وزارة الصناعة والتكنولوجيا المتقدمة Notified body by Ministry of Industry and Advanced Technology



Products are registered under the Emirates Conformity Assessment Scheme (ECAS) based on compliance to the Approved Standards المنتجات مسجلة في نظام تقويم المطابقة الإماراتي (إيكاس) بناء على مطابقتها للمواصفات المعتمدة



600565554



www.moiat.gov.ae







أصدرت إلى:





تم اصدار هذا المستند الكترونيا ولا يحتاج إلى ختم أو توقيع. This document has been issued electrocically and doesn't require a stamp and

signature.

Ministry of Industry and Advanced Technology

Company Name: SAMSON CONTROLS SOLUTIONS اسم الشركة:

الأجهزة الكهربائية المعدة للاستخدام تصنيف المنتج: **Product Category: ECAS-Ex** في الأجواء القابلة للانفجار

25-05-150656/E25-05-156738/NB0007 **Certificate No.:** رقم التسجيل:

Registration Date: 22/05/2025 تاريخ التسجيل:

Valid Until: 21/05/2026 صالح لغاية:

intertek

جهة معينة من قبل وزارة الصناعة والتكنولوجيا المتقدمة Notified body by Ministry of Industry and Advanced Technology



Page 1 of 4





www.moiat.gov.ae











تم اصدار هذا المستند الكترونيا ولا يحتاج إلى ختم أو توقيع.

This document has been issued electrocically and doesn't require a stamp and signature.

Ministry of Industry and Advanced Technology

1	samson 3730 31.	HART capable positioner; Type of Protection: General Requirements, Intrinsic Safety; Marking: Ex ia IIC T6T4 Gb and Ex ia IIIC T80°C Db; for more details please refer IECEx PTB 05.0008X	N/A	N/A	IECEx PTB 05.0008X DE/PTB/ExTR16.0043/01 DE/TUN/QAR06.0011/13	UAE.S IEC 60079-11, UAE.S IEC 60079-0	GERMANY
---	--------------------	---	-----	-----	---	--	---------

intertek

جهة معينة من قبل وزارة الصناعة والتكنولوجيا المتقدمة Notified body by Ministry of Industry and Advanced Technology



Page 2 of 4



600565554











This document has been issued electrocically and doesn't require a stamp and signature.

Ministry of Industry and Advanced Technology

2	samson	3730- 35	HART capable positioner; Type of Protection: General Requirements, Dust Ignition Protection by Enclosure; Marking: Ex tb IIIC T80°C Db; for more details please refer IECEx PTB 05.0008X	N/A	N/A	IECEx PTB 05.0008X DE/PTB/ExTR16.0043/01 DE/TUN/QAR06.0011/13	UAE.S IEC 60079-0, UAE.S IEC 60079-31	GERMANY
---	--------	-------------	--	-----	-----	---	--	---------

intertek

جهة معينة من قبل وزارة الصناعة والتكنولوجيا المتقدمة Notified body by Ministry of Industry and Advanced Technology



Page 3 of 4



600565554

www.moiat.gov.ae









تم اصدار هذا المستند الكترونيا ولا يحتاج إلى ختم أو توقيع. This document has been issued electrocically and doesn't require a stamp and signature.

Ministry of Industry and Advanced Technology

3 sa	amson		HART capable positioner; Type of Protection: General Requirements, Type of Protection "n", Dust Ignition Protection by Enclosure; Marking: Ex nA IIC T6 Gc and Ex tc IIIC T80°C Dc; for more details please refer IECEx PTB 05.0008X	N/A	N/A	IECEx PTB 05.0008X DE/PTB/ExTR16.0043/01 DE/TUN/QAR06.0011/13	UAE.S IEC 60079-0, UAE.S IEC 60079-15, UAE.S IEC 60079-31	GERMANY
Nothing Follows								

intertek

جهة معينة من قبل وزارة الصناعة والتكنولوجيا المتقدمة Notified body by Ministry of Industry and Advanced Technology



Page 4 of 4



600565554











تم اصدار هذا المستند الكترونيا ولا يحتاج إلى ختم أو توقيع.

This document has been issued electrocically and doesn't require a stamp and signature.